

90-DAY RESPONSE (this is a re-submission)

DCI Number: GDCI-107104-1479

Data Call-In Information

Company Name	THOR GMBH
Company Address	50 WATERVIEW DRIVE SHELTON, CT 06484
DCI Type	Generic
Issued Date	09/26/2017
90-Day Response Deadline	01/04/2018
CRM Information	opp_ad_reevaluation_DCI_team@epa.gov
Chemical Name	2-Methyl-3(2H)-isothiazolone
Chemical Number	107104

90-Day Response Information

Resubmission	Yes
Tracking Number	CDX_DCI_2018_000034

DCI Level Documents

File Name	File Type	MRID	CBI	Submitted Date
MIT GDCI Cvr let and Responses_20180102.pdf	Submission Cover Letter	N/A	N	01/02/2018

EPA Product Registration Number(s)

67071-70	I agree to satisfy Generic Data requirements as indicated on the attached form entitled "Requirements Status and Registrant's Response."
67071-48	I agree to satisfy Generic Data requirements as indicated on the attached form entitled "Requirements Status and Registrant's Response."
67071-26	I agree to satisfy Generic Data requirements as indicated on the attached form entitled "Requirements Status and Registrant's Response."
67071-47	I agree to satisfy Generic Data requirements as indicated on the attached form entitled "Requirements Status and Registrant's Response."
67071-46	I agree to satisfy Generic Data requirements as indicated on the attached form entitled "Requirements Status and Registrant's Response."
67071-29	I agree to satisfy Generic Data requirements as indicated on the attached form entitled "Requirements Status and Registrant's Response."
67071-56	I agree to satisfy Generic Data requirements as indicated on the attached form entitled "Requirements Status and Registrant's Response."
67071-49	I agree to satisfy Generic Data requirements as indicated on the attached form entitled "Requirements Status and Registrant's Response."
67071-71	I agree to satisfy Generic Data requirements as indicated on the attached form entitled "Requirements Status and Registrant's Response."
67071-19	I agree to satisfy Generic Data requirements as indicated on the attached form entitled "Requirements Status and Registrant's Response."
67071-10	I agree to satisfy Generic Data requirements as indicated on the attached form entitled "Requirements Status and Registrant's Response."
67071-11	I agree to satisfy Generic Data requirements as indicated on the attached form entitled "Requirements Status and Registrant's Response."
67071-18	I agree to satisfy Generic Data requirements as indicated on the attached form entitled "Requirements Status and Registrant's Response."
67071-74	I agree to satisfy Generic Data requirements as indicated on the attached form entitled "Requirements Status and Registrant's Response."

67071-38	I agree to satisfy Generic Data requirements as indicated on the attached form entitled "Requirements Status and Registrant's Response."			
67071-37	I agree to satisfy Generic Data requirements as indicated on the attached form entitled "Requirements Status and Registrant's Response."			
67071-5	I agree to satisfy Generic Data requirements as indicated on the attached form entitled "Requirements Status and Registrant's Response."			
67071-62	I agree to satisfy Generic Data requirements as indicated on the attached form entitled "Requirements Status and Registrant's Response."			
67071-44	I agree to satisfy Generic Data requirements as indicated on the attached form entitled "Requirements Status and Registrant's Response."			
67071-16	I agree to satisfy Generic Data requirements as indicated on the attached form entitled "Requirements Status and Registrant's Response."			
67071-50	I agree to satisfy Generic Data requirements as indicated on the attached form entitled "Requirements Status and Registrant's Response."			
67071-1	I agree to satisfy Generic Data requirements as indicated on the attached form entitled "Requirements Status and Registrant's Response."			
67071-85	I agree to satisfy Generic Data requirements as indicated on the attached form entitled "Requirements Status and Registrant's Response."			
Guideline Requirement Number(s)				
Guideline Requirement Number - 850.3020				
Study Title	Honey bee acute contact toxicity			
Protocol	N			
Target Submission Date	09/26/2018			
Use Pattern	BB; X; Y			
Test Substance	TGA			
Time Frame	12 month(s)			
Footnote(s)	5. Required for wood preservative use.			
Registrant Response	Waiver Request			
Uploaded Documents				
File Name	File Type	MRID	CBI	Submitted Date
20171229_Waiver Request_MIT_Honeybee.pdf	Waiver Request	N.A.	N	01/03/2018
MIT Product Labels.pdf	Waiver Request	N.A.	N	01/05/2018
Guideline Requirement Number - 875.1100				
Study Title	Dermal exposure--outdoor			
Protocol	Y			
Target Submission Date	09/26/2019			
Use Pattern	BB; X; Y			
Test Substance	TGA			
Time Frame	24 month(s)			
Footnote(s)	1. TGA or surrogate 3. Results from a dermal indoor exposure study (875.1200) may satisfy this data requirement. 8. Exposure scenarios include airless spray application of preserved paint. 11. A protocol must be approved by the Agency prior to the initiation of the study.			
Registrant Response	Agreement to Cost Share			
Uploaded Documents				

File Name	File Type	MRID	CBI	Submitted Date
IT TF Letter to EPA on DCIs.pdf	General Correspondences	N.A.	Y	01/03/2018
Guideline Requirement Number - 875.1200				
Study Title	Dermal exposure--Indoor			
Protocol	Y			
Target Submission Date	09/26/2019			
Use Pattern	BB; X; Y			
Test Substance	TGAi			
Time Frame	24 month(s)			
Footnote(s)	1. TGAi or surrogate 2. Results from this study may be used to fulfill the requirement for a dermal outdoor exposure study (875.1100). 7. Exposure scenarios include open pour addition for industrial process/water systems treatment and material preservation, brush/roller application of preserved paints, airless sprayer application of preserved paints, machinist exposure to preserved metalworking fluids, mop, wipe, and spray application of preserved cleaning products and wood pressure treatment. 11. A protocol must be approved by the Agency prior to the initiation of the study.			
Registrant Response	Agreement to Cost Share			
Uploaded Documents				
File Name	File Type	MRID	CBI	Submitted Date
IT TF Letter to EPA on DCIs.pdf	General Correspondences	N.A.	Y	01/03/2018
Guideline Requirement Number - 875.1300				
Study Title	Inhalation exposure--outdoor			
Protocol	Y			
Target Submission Date	09/26/2019			
Use Pattern	BB; X; Y			
Test Substance	TGAi			
Time Frame	24 month(s)			
Footnote(s)	1. TGAi or surrogate 8. Exposure scenarios include airless spray application of preserved paint. 11. A protocol must be approved by the Agency prior to the initiation of the study.			
Registrant Response	Agreement to Cost Share			
Uploaded Documents				
File Name	File Type	MRID	CBI	Submitted Date
IT TF Letter to EPA on DCIs.pdf	General Correspondences	N.A.	Y	01/03/2018
Guideline Requirement Number - 875.1400				
Study Title	Inhalation exposure--indoor			
Protocol	Y			
Target Submission Date	09/26/2019			
Use Pattern	BB; X; Y			
Test Substance	TGAi			
Time Frame	24 month(s)			

Footnote(s)	1. TGAJ or surrogate 7. Exposure scenarios include open pour addition for industrial process/water systems treatment and material preservation, brush/roller application of preserved paints, airless sprayer application of preserved paints, machinist exposure to preserved metalworking fluids, mop, wipe, and spray application of preserved cleaning products and wood pressure treatment. 11. A protocol must be approved by the Agency prior to the initiation of the study.			
Registrant Response	Agreement to Cost Share			
Uploaded Documents				
File Name	File Type	MRID	CBI	Submitted Date
IT TF Letter to EPA on DCIs.pdf	General Correspondences	N.A.	Y	01/03/2018
Guideline Requirement Number - 875.1700				
Study Title	Product Use Information			
Protocol	N			
Target Submission Date	09/26/2018			
Use Pattern	BB; X; Y			
Test Substance	TGAJ			
Time Frame	12 month(s)			
Footnote(s)				
Registrant Response	Agreement to Cost Share			
Uploaded Documents				
File Name	File Type	MRID	CBI	Submitted Date
IT TF Letter to EPA on DCIs.pdf	General Correspondences	N.A.	Y	01/03/2018
Guideline Requirement Number - 875.2300				
Study Title	Indoor surface residue dissipation			
Protocol	Y			
Target Submission Date	09/26/2019			
Use Pattern	BB; X; Y			
Test Substance	TGAJ			
Time Frame	24 month(s)			
Footnote(s)	4. Required for wood preservatives and household cleaning products. 9. A waiver may be requested for all applications if a residue screening level default at 100% of the application rate does not trigger risk concerns. 11. A protocol must be approved by the Agency prior to the initiation of the study.			
Registrant Response	Agreement to Cost Share			
Uploaded Documents				
File Name	File Type	MRID	CBI	Submitted Date
IT TF Letter to EPA on DCIs.pdf	General Correspondences	N.A.	Y	01/03/2018
Guideline Requirement Number - 875.2500				
Study Title	Inhalation exposure			
Protocol	Y			
Target Submission Date	09/26/2019			
Use Pattern	BB; X; Y			
Test Substance	TGAJ			

Time Frame	24 month(s)			
Footnote(s)	6. Required for paint use. 11. A protocol must be approved by the Agency prior to the initiation of the study.			
Registrant Response	Agreement to Cost Share			
Uploaded Documents				
File Name	File Type	MRID	CBI	Submitted Date
IT TF Letter to EPA on DCIs.pdf	General Correspondences	N.A.	Y	01/03/2018
Guideline Requirement Number - SS-1221				
Study Title	Textiles leaching			
Protocol	Y			
Target Submission Date	09/26/2018			
Use Pattern	BB; X; Y			
Test Substance	TGA			
Time Frame	12 month(s)			
Footnote(s)	10. A protocol must be submitted to the Agency for approval prior to the start of the study. The draft protocol must be submitted to the Agency within 90 days of receipt of this DCI.			
Registrant Response	Agreement to Cost Share			
Uploaded Documents				
File Name	File Type	MRID	CBI	Submitted Date
IT TF Letter to EPA on DCIs.pdf	General Correspondences	N.A.	Y	01/03/2018
Submitter Information				
Submitter	Cheryl Woodward			
Submitted Date	01/03/2018			
Additional Contact(s)	regulatory@thorsp.com			